



Unified International
Mathematics Olympiad

UNIFIED INTERNATIONAL MATHEMATICS OLYMPIAD

CLASS - 7

Question Paper Code : UM9267

KEY

1	2	3	4	5	6	7	8	9	10
C	A	D	C	C	B	C	B	C	C
11	12	13	14	15	16	17	18	19	20
C	D	A	B	C	B	A	D	C	D
21	22	23	24	25	26	27	28	29	30
B	A	A	B	C	C	B	B	A	D
31	32	33	34	35	36	37	38	39	40
A,B,C	B,C,D	B,D	B,C	A,B	B	C	D	A	A
41	42	43	44	45	46	47	48	49	50
C	A	B,D	D	C	A	B	D	C	D

EXPLANATIONS

MATHEMATICS - 1

01. (C) Given $x^2 = (0.2)^2$
 $\therefore x = 0.2$
 cubing on both sides
 $x^3 = (0.2)^3 = 0.2 \times 0.2 \times 0.2 = 0.008$
02. (A) $s(s - c) + (s - a)(s - b)$
 $= s^2 - sc + s^2 - sb - sa + ab$
 $= 2s^2 - s(a + b + c) + ab$
 $= 2s^2 - s(2s) + ab$
 $= 2s^2 - 2s^2 + ab$

03. (D) Let the first odd number be 'x'
 Given
 $x + x + 2 + x + 4 + x + 6 + x + 8 + x + 10 +$
 $x + 12 + x + 14 + x + 16 + x + 18 = 1000$
 $\therefore 10x + 90 = 1000$
 $10x = 1000 - 90 = 910$
 $x = \frac{910}{10} = 91$
 \therefore Greatest number
 $= x + 18 = 91 + 18 = 109$

$$04. (C) \quad \frac{8^{10} + 4^{10}}{64^2 + 4^{11}} = \frac{(2^3)^{10} + (2^2)^{10}}{(2^6)^2 + (2^2)^{11}}$$

$$= \frac{2^{30} + 2^{20}}{2^{12} + 2^{22}}$$

$$= \frac{2^{12}(2^{18} + 2^8)}{2^{12}(1 + 2^{10})}$$

$$= \frac{2^8(2^{10} + 1)}{(2^{10} + 1)} = 256$$

05. (C) Let the least angle be x°

The greatest angle = $x^\circ + 60^\circ$

$$\text{Third angle} = \frac{x + x + 60^\circ}{2}$$

$$= x + 30^\circ$$

We have,

$$x + x + 30^\circ + x + 60^\circ = 180^\circ$$

$$\Rightarrow 3x + 90^\circ = 180^\circ \Rightarrow x = 30^\circ$$

\therefore The angles are 30° , 60° and 90°

Since one of the angles is 90° , the triangle formed is a right angled triangle

$$06. (B) \quad \frac{64^{\frac{2}{3}}}{8^{\frac{-2}{3}}} \times 2^{-3}$$

$$= \frac{(2^6)^{\frac{2}{3}}}{(2^3)^{\frac{-2}{3}}} \times \frac{1}{2^3}$$

$$= \frac{2^4}{2^{-2}} \times \frac{1}{2^3}$$

$$= 2^{4+2-3} = 2^3$$

07. (C) LCM of 3, 8, 12 & 6 = 24

$$2 : 3 = \frac{2}{3} = \frac{2}{3} \times \frac{8}{8} = \frac{16}{24}$$

$$5 : 8 = \frac{5}{8} = \frac{5}{8} \times \frac{3}{3} = \frac{15}{24}$$

$$5 : 12 = \frac{5}{12} = \frac{5}{12} \times \frac{2}{2} = \frac{10}{24}$$

$$5 : 6 = \frac{5}{6} = \frac{5}{6} \times \frac{4}{4} = \frac{20}{24}$$

$$\therefore \frac{10}{24} < \frac{15}{24} < \frac{16}{24} < \frac{20}{24}$$

$$\therefore \frac{10}{24} = \frac{5}{12} = 5 : 12 \text{ is the smallest ratio}$$


08. (B)

$$\begin{array}{r} 1794 \overline{) 2139} \quad (1 \\ \underline{1794} \\ 345 \overline{) 1794} \quad (5 \\ \underline{1725} \\ 69 \overline{) 345} \quad (5 \\ \underline{345} \\ 0 \end{array}$$

$$\begin{array}{r} 69 \overline{) 4899} \quad (71 \\ \underline{483} \\ 69 \overline{) 69} \quad (1 \\ \underline{69} \\ 0 \end{array}$$

\therefore HCF of the given three numbers = 69

09. (C)



\therefore Total integers from -2022 to 2023
 $= 2022 + 1 + 2023 = 4046$


10. (C) Given $\frac{1}{2} : x = \frac{5}{6} : \frac{25}{3}$

$$\therefore \frac{5x}{6} = \frac{25}{3} \times \frac{1}{2}$$

$$x = \frac{25}{6} \times \frac{6}{5}$$

$$x = 5$$

11. (C)



Given $AB = 150\text{ m}$, $BC = 200\text{ m}$ &

$\angle ABC = 90^\circ$

$$\therefore AC^2 = AB^2 + BC^2 = (150)^2 + (200)^2$$

$$= 22500 + 40000 = 62500 = (250\text{ m})^2$$

$AC = 250\text{ metres}$

He is 250 metres away from the starting

12. (D)

LHS

$$= [-101 \times 13 - 101 \times 14 - 101 \times 15 - 101 \times 16 - 101 \times 17 - 101 \times 18 - 101 \times 19 - 101 \times 20 - 101 \times 21 - 101 \times 22 - 101 \times 23]$$

$$= 101[-13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23]$$

$$= 101 \times -198 = -19998$$

13. (A)

$$124 \times 4 - 3 + 118 \div 2$$

$$= 496 - 3 + \frac{118}{2}$$

$$= 552$$

14. (B)

The fraction that represents the figure is

$$\frac{6}{6}. \text{ It is an improper fraction}$$

15. (C)

Mean = $\frac{\text{sum of the observations}}{\text{number of observation}}$

$$= \frac{2+4+6+8+10+12+14+16+18+20+22+24+26+28+30+32+34+36+38+40}{20}$$

$$= \frac{(2+40)+(4+38)+(6+36)+\dots+(20+22)}{20}$$

$$= \frac{42 \times 10}{20}$$

$$= 21$$

(OR)

Mean of the first 'n' even natural numbers

$$= (n + 1)$$

$$= 20 + 1 = 21$$

16. (B)

Let $\left(\frac{1}{6} + \frac{1}{7} + \frac{1}{8}\right)$ be 'a' then

$$\text{LHS} = (1+a)\left(a + \frac{1}{9}\right) - \left(1+a + \frac{1}{9}\right)a$$

$$= a + \frac{1}{9} + a^2 + \frac{a}{9} - a - a^2 - \frac{a}{9}$$

$$= \frac{1}{9}$$

17. (A)

$$\angle RPB = 180^\circ - (60^\circ + 50^\circ)$$

$$= 180^\circ - 110^\circ = 70^\circ$$

$$\therefore \angle PRQ = x = \angle RPB = 70^\circ$$

[\because Alternative angles]

18. (D)

In $\triangle PQS$, $\angle PSQ = 90^\circ$ & $\angle P = 34^\circ$

$$\therefore 34^\circ + 90^\circ + \angle PQS = 180^\circ$$

$$\angle PQS = 180^\circ - 124^\circ = 56^\circ$$

In $\triangle SQR$, $SQ = QR \Rightarrow \angle R = \angle QSR = x$

But $\angle R + \angle QSR = \angle SQP$

[\because Exterior angle is equal to sum of the interior opposite angles]

$$\therefore x + x = 56^\circ$$

$$2x = 56^\circ$$

$$x = \frac{56^\circ}{2} = 28^\circ$$

19. (C)

Let the number of notes of each denomination be 'x'

Given

$$\text{₹ } 10x + \text{₹ } 20x + \text{₹ } 50x + \text{₹ } 200x = \text{₹ } 6440$$

$$\text{₹ } 280x = \text{₹ } 6440$$

$$x = \frac{\text{₹ } 6440}{280} = 23$$

\therefore Number of notes of each denomination = $x = 23$

$$\therefore \text{Total notes} = 23 \times 4 = 92$$

20. (D)

$$6a^2b = (2) \times 3 \times (a) \times a \times (b)$$

$$10a^2b = (2) \times 5 \times (a) \times a \times (b)$$


$$8abc = (2) \times 2 \times 2 \times (a) \times (b) \times c$$

The common in all the three terms are

$$2 \times a \times b$$

$$\therefore \text{HCF} = 2ab$$

21. (B) $(11 \text{ cm})^2 + (60 \text{ cm})^2 = 121 \text{ cm}^2 + 3600 \text{ cm}^2$
 $= 3721 \text{ cm}^2$



$$\therefore (11 \text{ cm})^2 + (60 \text{ cm})^2 = (61 \text{ cm})^2$$

\therefore Given triangle is a right angled triangle

\therefore Area of the triangle

$$= \frac{1}{2} \times 60 \text{ cm} \times 11 \text{ cm} = 330 \text{ cm}^2$$

22. (A)
$$\frac{5.43 \times 5.43 - 3.45 \times 3.45}{8.88}$$

$$= \frac{29.4849 - 11.9025}{8.88}$$

$$= \frac{17.5824}{8.88}$$

$$= 1.98$$

23. (A)
$$(x^{-1} + y^{-1})(x + y)^{-1} = \left(\frac{1}{x} + \frac{1}{y} \right) \left(\frac{1}{x + y} \right)$$

$$= \frac{(x + y)}{xy} \times \frac{1}{(x + y)}$$

$$= \frac{1}{xy}$$

$$= x^{-1}y^{-1}$$

24. (B) Given loss = SP of 6 apples

SP = SP of 24 apples

\therefore CP = SP + Loss = SP of (6 + 24) apples
 = SP of 30 apples

$$\text{Loss\%} = \frac{\text{Loss}}{\text{CP}} \times 100$$

$$= \frac{\text{SP of 6 apples}}{\text{Sp of 30 apples}} \times 100 = 20\%$$

25. (C) In $\triangle ABC$, $\angle A + 76^\circ + 50^\circ = 180^\circ$

$$\angle A = 180^\circ - 126^\circ = 54^\circ$$

In $\triangle ADE$, $\angle A = 54^\circ$ & $AD = AE$

$$\Rightarrow \angle ADE = \angle AED = a$$

$$\therefore a + a + 54^\circ = 180^\circ$$

$$2a = 180^\circ - 54^\circ = 126^\circ$$

$$a = \frac{126^\circ}{2} = 63^\circ$$

In $\triangle CEF$, $\angle C = 50^\circ$ & $\angle E = \angle F$

$$\Rightarrow \angle EFC = \angle ECF = b$$

$$\therefore b + b + 50^\circ = 180^\circ$$

$$2b = 180^\circ - 50^\circ = 130^\circ$$

$$b = \frac{130^\circ}{2} = 65^\circ$$

But $a + x + b = 180^\circ$ [\because straight angle]

$$\therefore 63^\circ + x + 65^\circ = 180^\circ$$

$$x = 180^\circ - 128^\circ = 52^\circ$$

26. (C) Let the present age of elder be ' x ' years

\therefore Present age of younger = $(x - 10)$ years

Given

$$x - 15 = 2(x - 10 - 15)$$

$$x - 15 = 2(x - 25)$$

$$x - 15 = 2x - 50$$

$$\therefore 50 - 15 = 2x - x = x = 35$$


$$\therefore x - 10 = 35 - 10 = 25$$

\therefore Sum of their present ages

$$= 35 + 25 = 60 \text{ years}$$

27. (B) An isosceles right angled triangle has only one line symmetry

28. (B) Total area of the paths



$$\begin{aligned}
 &= 70 \text{ m} \times 5 \text{ m} + 50 \times 5 \text{ m}^2 - 5 \times 5 \text{ m}^2 \\
 &= 350 \text{ m}^2 + 250 \text{ m}^2 - 25 \text{ m}^2 \\
 &= 575 \text{ m}^2
 \end{aligned}$$

29. (A) From options

Option A :-

$$25 - 4 = 21, 67 - 4 = 63, 77 - 4 = 73,$$

$$223 - 4 = 219$$

\therefore 21, 63, 73 and 219 are in proportion

\therefore '4' to be subtracted

30. (D) LHS

$$\begin{aligned}
 &= \frac{47}{6} - \left[\frac{27}{8} - \left\{ \frac{19}{12} - \left(\frac{265}{24} - 4 \right) \right\} \right] \\
 &= \frac{47}{6} - \left[\frac{27}{8} - \left\{ \frac{19}{12} - \left(\frac{265 - 96}{24} \right) \right\} \right] \\
 &= \frac{47}{6} - \left[\frac{27}{8} - \left\{ \frac{19}{12} - \frac{169}{24} \right\} \right] \\
 &= \frac{47}{6} - \left[\frac{27}{8} - \left\{ \frac{38 - 169}{24} \right\} \right] \\
 &= \frac{47}{6} - \left[\frac{27}{8} - \left\{ \frac{-131}{24} \right\} \right] \\
 &= \frac{47}{6} - \left[\frac{27}{8} + \frac{131}{24} \right] \\
 &= \frac{47}{6} - \left[\frac{81 + 131}{24} \right] \\
 &= \frac{47}{6} - \frac{53}{6} \\
 &= \frac{-6}{6} = -1
 \end{aligned}$$

MATHEMATICS - 2

31. (A, B, C)

This four triangles are isosceles right angled triangles

32. (B, C, D) B, C, D are correct options.

$$\text{Given } 64^a = \frac{1}{256^b}$$

$$\Rightarrow 2^{6a} = \frac{1}{2^{8b}}$$

$$2^{6a} = 2^{-8b}$$

$$6a = -8b$$

$$2 \times 3a = -4 \times 2b$$

$$3a + 4b = 0$$

$$\text{Given } 64^a = 2 \times 2^{\frac{1}{2}}$$

$$(2^6)^a = 2^{1+\frac{1}{2}}$$

$$2^{6a} = 2^{\frac{3}{2}}$$

$$\therefore 6a = \frac{3}{2}$$

$$a = \frac{3}{2} \times \frac{1}{6} = 2^{-2}$$

$$\frac{1}{256^b} = 2^{\frac{3}{2}}$$

$$(2^8)^b = 2^{\frac{3}{2}}$$

$$2^{-8b} = 2^{\frac{3}{2}}$$

$$-8b = \frac{3}{2}$$

$$b = \frac{3}{2} \times \frac{-1}{8} = \frac{-3}{16}$$

33. (B, D)

Options (B) & (D) are correct

34. (B, C)

Required number
 = LCM of (2, 3, 4, 5 & 6) – 1
 = 60 – 1 = 59
 (or) It can be 120 – 1 = 119
 (or) It can be 180 – 1 = 179
 (or) It can be 240 – 1 = 239

35. (A, B)

$\frac{1}{2}$ and $\frac{5}{6}$ are rational numbers

then $\frac{1}{2} - \frac{5}{6} = \frac{3-5}{6} = \frac{-2}{6} = \frac{-1}{3}$ is also a rational number

∴ option A true

$a(b - c) = ab - ac$

is a distributive property

∴ option 'B' true

$\frac{-7}{4}$ lies between –2 and –1


∴ option 'C' false

$\frac{1}{4}$ a rational number but zero is a rational number


∴ $\left(\frac{1}{4}\right)_0$ is not defined

∴ option 'D' is false

REASONING



37. (C) Except home, all others are human settlements. So, home does not belong to the group. Hence option (C) is correct.



Gray colour numbers 4 – 1 = 3 placed in white square

White colour numbers 5 – 3 = 2 placed in gray square

Similarly 5 – 1 = 4, 6 – 3 = 3

39. (A) $23 \xrightarrow{-4} 19 \xrightarrow{-2} 17 \xrightarrow{-4} 13 \xrightarrow{-2} 11 \xrightarrow{-4} 7 \xrightarrow{-2} 5 \xrightarrow{-4} 1$

40. (A) Here, W = 4 and T = 7

Now,

T E N
 ↓ ↓ ↓
 7 + 22 + 13 = 42

Then,

S W E E T
 ↓ ↓ ↓ ↓ ↓
 8 + 4 + 22 + 22 + 7 = 63

So, the code for SWEET is 63

Hence, option (A) is correct.

41. (C) $26 \rightarrow 62 + 10 = 72$

$82 \rightarrow 28 + 30 = 38$

$64 \rightarrow 46 + 10 = 56$

42. (A)

41. (B) 3 → Electrician


5 → Electrification

1 → Electrolysis

4 → Electroplating

2 → Electrotyping

44. (D)




45. (C) On the basis of given information, we can draw the following table.

Students	Dramatic	Computer Science	Physics	History	Maths
A	X	✓	✓	✓	✓
B	✓	✓	✓	X	X
C	X	X	✓	✓	✓
D	✓	X	✓	✓	X
E	✓	✓	X	✓	X


From the table it is clear that C is good in Physics. History and Mathematics, but not in Computer Science. Hence, option (C) is correct.

CRITICAL THINKING

46. (A)




47. (B)



48. (D) A culture is the behavior pattern of a particular population, so customs are the essential element. A culture may or may not be civil or educated (choices A and B). A culture maybe an agriculture society (choice C), but this is not the essential element.

49. (C)



50. (D) Diagonally opposite rectangles have identical dot arrangements but with black/white reversal.

==== The End =====